

**3D Beta**  
Made in Italy



**BICYCLE**  
WORKSHOPS

# DOMINA



Welcome to **3DBeta**, the premier partner in crafting bespoke **workshop architecture components** for bike, motorcycle and car manufacturers and professionals.

At 3DBeta, we designed the **Domina line** to build custom workshops fully tailored to the specific needs of our customers and partners, offering **complete customization** in dimensions and colors.

**Our commitment to quality and customer satisfaction** ensures that, with Domina line, all customers receive not only **exceptional products** but also an **unparalleled level of service**.

3DBeta can be trusted to **elevate any workspaces** with personalized, high-quality solutions, combining **technical efficiency** and **communication of company values**.

With Domina line we don't set any limits to our customers' imagination.




Serial number plate  
in 925/1000 silver

## TECHNICAL SPECIFICATIONS

This module is equipped with large drawers to store work tools: the internal dimension of a drawer is 588 x 560 millimeters.

The drawer useful heights are 56, 130, 180, 230 millimeters, and each drawer can hold up to 45 kgs.




The worktop is customizable with three different materials: painted steel, Inox or wood.

It is also available in various sizes:

- 800 x 700 x H40 mm
- 1600 x 700 x H40 mm
- 2050 x 700 x H40 mm
- 2400 x 700 x H40 mm

All the compositions are self-supporting. Additionally, there is a 60 millimeters space behind each composition that can be used for installing air pressure pipes and electrical wiring, ensuring a complete setup.






GIANT



CICLI DRALI



GUERCIOTTI



PINARELLO

# SOLIDA



We designed the **Solida** line with the goal of meeting the needs of mechanical experts. Every detail is designed to **simplify workflows and promote ergonomics**.

The **standard composition** (length 2250 millimeters) includes a service module with air reel, fixed drawer units with 6 and 4 drawers, perforated tool-holder panels, wall units with doors and a central shelf.

The worktop is 620 millimeters deep and is equipped with an oil/gasoline-resistant rubber mat and prepared for mounting the bench vise.

The **Solida** line in standard version is a starting point for creating a **fully customized composition**, ranging from a wide range of fixed and mobile modules **to meet the different needs of Bike, Motorcycle and Car workshops**. The structure can be painted in any RAL color, with a semi-gloss or matte finish.



## TECHNICAL SPECIFICATIONS

The top is 630 millimeters deep and equipped with interlocking panels. The module is self-standing (does not require wall mounting). The addition of panels on the back side allows the module to be installed even in the middle of the room.



The perforated panels are prepared for mounting electrical rack socket strips, both at the top and at the bottom (the panel is reversible).

The workstation is ergonomically designed with a base recess and a 30-millimeters upper projection to accommodate foot space and ensure maximum comfort. It is possible to integrate LED lights on each module.




# STRADA



This composition includes 3 drawer modules with drilled panel, wall cabinet, tools shutter module.

Colors are customizable at customer choice.

- Color handles available: Red - Light Gray - Dark Gray - Yellow - Black - Blue



L mm	S mm	A1 mm	A2 mm
2250	690	980	2000

# CROSS COUNTRY



This composition includes 3 modules (two doors + 4 drawers + trolley 7 drawers) with drilled panels.

- Any panel includes a kit of 10 hooks.

L mm	S mm	A1 mm	A2 mm
2250	690	980	2000

DIMENSIONS GUIDE: L=Total Length - S= Depth - A1= Floor Height - A2= Total Height

Composition with 3 modules (7 drawers + 4 drawers + service module included air reel, paper roll support and rubbish tank) with drilled panels, 2 wall cabinets and central shelf for wire/sheath boxes.

- All worktops have the predisposition to mount bench vice and supply with oil/fuel proof carpet.

L mm	S mm	A1 mm	A2 mm
2250	690	980	2000



Composition with 2 modules (7 drawers + service module included air reel, paper roll support and rubbish tank).

- All low panels have the predisposition to mount the electric rack kit.

L mm	S mm	A1 mm	A2 mm
1480	690	980	2000





## DOWN-HILL




This L shaped composition has a self-standing structure with drawer modules, two door module, service module with air reel included, wall cabinets, shelves and tools shutter module.

- Led lights can be installed under wall cabinets, shelves and over the shutter module.

L mm	S mm	A1 mm	A2 mm
2170x2940	690	980	2000

DIMENSIONS GUIDE: L=Total Length - S= Depth - A1= Floor Height - A2= Total Height

## START



Double module with wheels, ideal to work on front fork and rear shock absorber.

Worktop is in Inox with oil sink.


Is it supplied with a bench vice on worktop to dismount the rear shock absorber, a low vice ideal to open front forks. Under each vice there is a drawer with Inox tank to collect oil pouring. Integrated in the workbench are one air reel and one electric socket kit.

Behind the rubbish tank is located one 20 liters oil tank connected with the worktop sink.

Optionally, vertical inox drilled panels and shelves fixed with self-standing pillars can be mounted behind the module.



## PROFESSIONAL



L mm	S mm	A1 mm	A2 mm
1500	475	980	1550

DIMENSIONS GUIDE: L=Total Length - S= Depth - A1= Floor Height - A2= Total Height

## 3DGGB000KGX

### LINEAR GUARD FOR WORKSHOP EQUIPMENT COMBINATION RSC50

- To be applied to perforated tool panels
- Designed for application of aluminium profiles with LED strips item 5000 RSC50/PLED or 5000 RSC50/PLED-ST (to be ordered separately), to light working area beneath



L mm	H mm	D mm	Kg	Icon	QTY
740	125	30	1	050001710	

## 3DGGA000KAG

### CORNER GUARD FOR WORKSHOP EQUIPMENT COMBINATION RSC50

- To be applied to perforated tool panels of corner module
- Designed for application of aluminium profiles with LED strips item 5000 RSC50/PLED or 5000 RSC50/PLED-ST (to be ordered separately), to light working area beneath



L mm	H mm	D mm	Kg	Icon	QTY
655	655	30	1,7	050001711	

## 3DUUA000KAF

### SHELF, FOR WORKSHOP EQUIPMENT COMBINATION RSC50

- Designed for application of aluminium profiles with LED strips item 5000 RSC50/PLED or 5000 RSC50/PLED-ST (to be ordered separately), to light working area beneath



L mm	H mm	D mm	Kg	Icon	QTY
740	140	80	2,3	050001705	

## 3DUUE000KAS

### CORNER SHELF, 140 MM DEEP, FOR WORKSHOP EQUIPMENT COMBINATION RSC50

- To be applied to perforated panels of corner module RSC50 AC
- Designed for application of aluminium profiles with LED strips item 5000 RSC50/PLED or 5000 RSC50/PLED-ST (to be ordered separately), to light working area beneath



L mm	H mm	D mm	Kg	Icon	QTY
630	630	35	3	050001706	

## 3DKLDL00004

### ALUMINIUM PROFILE WITH LED STRIP AND SOFT TOUCH SWITCH, FOR WORKSHOP EQUIPMENT COMBINATION RSC50

To be applied under worktops, under/in suspended cabinets, under shelves and linear/corner guards, to light working areas.

- 6.5W IP20 LED strip; length: 50 cm
- SOFT TOUCH switch for switching on and lighting power adjustment
- Supplied complete with two cables (40 cm and 170 cm long respectively)
- Convenient fixing through magnets



L mm	H mm	D mm	g	Icon	QTY
			80	050001715	

## 3DKLDL00005

### POWER SUPPLY FOR LED STRIP, FOR WORKSHOP EQUIPMENT COMBINATION RSC50

- 24VDC 22W power supply
- Can supply power to up to 3 6.5W LED strips



	g		QTY
	200	050001716	

## SPC

### COMPUTER WALL BRACKET

- Matches tool wall systems RSC55 and C45PRO



L mm	H mm	D mm	Kg		QTY
398	243	138	1	088880480	



## CP

### WALL-MOUNTED BOTTLE HOLDER RACK

- Wall-mounted bottle holder rack



L mm	H mm	D mm	g		QTY
280	95	115	530	088880470	

## PM/5C

### WALL-MOUNTED 5-TRAY TOOL HOLDER, MADE OF PLASTIC, WITH SUPPORT

- Interior dimensions of tray: 95x120 mm
- Can be used with tool wall systems C45PRO and RSC55



L mm	H mm	D mm	Kg		QTY
600	140	165	1,8	088880450	

## PM/6C

### WALL-MOUNTED 6-TRAY TOOL HOLDER, MADE OF PLASTIC, WITH SUPPORT

- Interior dimensions of tray: 80x60 mm
- Can be used with tool wall systems C45PRO and RSC55



L mm	H mm	D mm	g	kg	QTY
600	95	115	970	088880440	

## CPMB/3C

### WORKBENCH SMALL PARTS CONTAINERS WITH 3 DRAWERS

- Outer frame made of PP
- Small parts drawers made of PET
- Stackable

Specifications of drawers:

- Interior drawer dimensions: 160x107x105h mm
- Unbreakable
- Glass effect transparency unchanged over time
- Scratchproof
- Resistant to oil, acids and aggressive chemicals
- Also suitable for use in food products



L mm	H mm	D mm	Kg	kg	QTY
600	155	175	2	088880443	

## CPMB/5C

### WORKBENCH SMALL PARTS CONTAINERS WITH 5 DRAWERS

- Outer frame made of PP
- Small parts drawers made of PET
- Stackable

Specifications of drawers:

- Interior drawer dimensions: 90x86x62h mm
- Unbreakable
- Glass effect transparency unchanged over time
- Scratchproof
- Resistant to oil, acids and aggressive chemicals
- Also suitable for use in food products



L mm	H mm	D mm	g	kg	QTY
600	133	132	1,5	088880445	

## KIT 6VC/3C

### KIT OF 6 REMOVABLE TRAYS FOR SMALL PARTS CONTAINERS CPMB/3C



g	kg	QTY
830	088880453	

## KIT 10VC/5C

### KIT OF 10 REMOVABLE TRAYS FOR SMALL PARTS CONTAINERS CPMB/5C



g	kg	QTY
570	088880455	

## SB

### SOCKET RAILS



	L mm		QTY
SB1	210	088880201	
SB2	280	088880202	
SB3	360	088880203	

## MB

### SOCKET CLIPS FOR RAILS SB



	<input type="checkbox"/>		QTY
MB0	1/4	088880210	
MB1	3/8	088880211	
MB2	1/2	088880212	

## GM


### SNAP HOOKS WITH EXPANSION BOLTS VE 1



	Ø mm		QTY
GM6,5	6,5	088880250	
GM9,5	9,5	088880251	
GM13	13	088880252	
GM16	16	088880253	
GM19	19	088880254	
GM25	25	088880255	

## KIT/GPS

### KIT OF 40-MM GPS HOOKS WITH SCREWS VE 1



			QTY
KIT/GPS-40 mm	40	088880119	
KIT/GPS-90 mm	90	088880117	

## 8889P2


### PARALLEL PARTITIONS FOR STANDARD DRAWER 588X367 MM



	H mm		QTY
8889P2/7	70	088890107	

## 8889C2


### CROSSED PARTITIONS FOR STANDARD DRAWER 588X367 MM



	H mm		QTY
8889C2/7	70	088890117	

## S55/8


SUPPORTS FOR 8 DOUBLE OPEN END WRENCHES,  
MADE FROM SHEET METAL



		QTY
55/S8 55AS/8 55MP/S8	088880420	

## S55/12


SUPPORTS FOR 8 DOUBLE OPEN END WRENCHES,  
MADE FROM SHEET METAL



		QTY
55/S12 55/S12X 55AS/12 55MP/S12	088880421	

## ST2P


PLIERS POCKETS, MADE FROM SHEET METAL



		QTY
	088880422	

## TSPP


TOOL POCKETS, MADE FROM PLASTIC MATERIAL



		QTY
	088880402	

## S952/10


SUPPORTS FOR 10 T-HANDLES,  
MADE FROM SHEET METAL



		QTY
	088880423	

## S1719BM


SUPPORTS FOR 5 FILES, MADE FROM SHEET METAL



		QTY
1719BMA: Q-T-P-M-R 1719BMD: Q-T-P-M-R 1719BMX: Q-T-P-M-R	088880404	

## SGN


SUPPORTS FOR 2 MINI SCREWDRIVERS,  
MADE FROM SHEET METAL



		QTY
1290N-1292N-1299N/PZ 1260N-1262N-1269N/PZ 1201EN-1202EN-1209EN/PZ	088880405	

## S42/17


SUPPORTS FOR 17 COMBINATION WRENCHES,  
MADE FROM SHEET METAL



		QTY
42/S17 - 42MP/S17 42/S17X - 42AS/17 142/S17	088880428	

## S951/6

SUPPORTS FOR 6 T HANDLE WRENCHES WITH HEXAGON MALE ENDS, MADE FROM SHEET METAL



		QTY
951/S6	088880429	
951AS/S6X		
951TX/S6		

## SPG11

SUPPORTS FOR SCREWDRIVERS, MADE FROM SHEET METAL



		QTY
n.8 Ø = 7 mm	088880910	
n.2 Ø = 10 mm		
n.1 Ø = 12 mm		

## S1203/8

SUPPORTS FOR SCREWDRIVERS, MADE FROM SHEET METAL



		QTY
1203E/S8	088880430	
1263/D8		
1293/S8		

## S96T/8


SUPPORTS FOR 8 OFFSET HEXAGON KEY WRENCHES, WITH HIGH TORQUE HANDLES, MADE FROM SHEET METAL



		QTY
96T/AS8	088880431	
96T/S8		
97TTX/S8		

## 96T/SPV

SUPPORTS FOR 11 OFFSET HEXAGON KEY WRENCHES, WITH HIGH TORQUE HANDLES, MADE FROM SHEET METAL




		QTY
96T/S11	000960958	
97TTX/S11		



## VPMO


SOFT THERMOFORMED TRAY WITH TOTE TRAY



L mm	H mm	D mm		QTY
147	-	367	088870350	

## VPM3


SOFT THERMOFORMED TRAY WITH 4 TOTE TRAYS



L mm	H mm	D mm		QTY
147	-	367	088870353	

## VP3

THERMOFORMED TRAYS FOR SMALL ITEMS, MADE FROM PLASTIC FOR ALL ROLLER CABS AND ALL TROLLEYS



L mm	H mm	D mm		QTY
147	50	367	088880353	

## VP4

THERMOFORMED TRAYS FOR SMALL ITEMS, MADE FROM PLASTIC FOR ALL ROLLER CABS AND ALL TROLLEYS



L mm	H mm	D mm		QTY
147	35	367	088870350	

## VP5

THERMOFORMED TRAY



L mm	H mm	D mm		QTY
588	-	122	088880355	

## VP6

THERMOFORMED TRAY



L mm	H mm	D mm		QTY
588	-	122	088880359	



WILIER TRIESTINA




TORAY CARBON MAGIC






# E-BIKE LIFTERS

## HERON 35





- \_ **New and innovative product**
- \_ **Designed, engineered and manufactured in Italy**
- \_ **Self-supporting and easy to install**
- \_ **Excellent value for money**

New electromechanical lifter for e-bike - wall-mounted and floor-stand versions.  
Capacity: 35 kg.



**OPTIONAL**



		QTY
Heron 35 lifting arm H2200-35kg	3DHEREBK000	
Heron 35 steel clamp	3DHERMOMETU	
Heron 35 pillar E-BIKE H2200-35kg	3DHEREBK002	
Heron 35 Steel Accessory Base Frame	3DHEREBK001	



## DOUBLE FLOOR-STAND LIFTER

		QTY
Heron 35 lifting arm H2200-35kg	3DHEREBK000	2
Heron 35 steel clamp	3DHERMOMETU	2
Heron 35 double pillar E-BIKE LIFTER H2200-35kg	3DHER000209	1
Heron 35 Steel Accessory Base Frame	3DHEREBK001	-

## SINGLE FLOOR-STAND LIFTER

		QTY
Heron 35 lifting arm H2200-35kg	3DHEREBK000	1
Heron 35 steel clamp	3DHERMOMETU	1
Heron 35 pillar E-BIKE H2200-35kg	3DHEREBK002	1
Heron 35 Steel Accessory Base Frame	3DHEREBK001	-



## FLOOR-STAND LIFTER WITH BASE

		QTY
Heron 35 lifting arm H2200-35kg	3DHEREBK000	1
Heron 35 steel clamp	3DHERMOMETU	1
Heron 35 pillar E-BIKE H2200-35kg	3DHEREBK002	1
Heron 35 Steel Accessory Base Frame	3DHEREBK001	1



## WALL-MOUNTED LIFTER

		QTY
Heron 35 lifting arm H2200-35kg	3DHEREBK000	1
Heron 35 steel clamp	3DHERMOMETU	1
Heron 35 pillar E-BIKE H2200-35kg	3DHEREBK002	-
Heron 35 Steel Accessory Base Frame	3DHEREBK001	-





## 39 16MMP

MADE IN ITALY

### WORKSHOP SINGLE-SIDED CLAMP FOR BICYCLE MAINTENANCE

- Clamp can be rotated 360°, with floating jaws and micrometric adjustment
- Carrying capacity: 25 kg
- Plastic tool tray
- Steel plate for unparalleled firmness
- Adjustable height



H mm	Ø mm	L mm	L1 mm	kg	QTY
1230÷1380	45	600	600	29	039160150



## 39 10

### E-BIKE LIFT

- Maximum carrying capacity: 40 kg
- Maximum height of central movement support: 135 cm
- Built-in wheel truing stand
- Innovative thru-axle locking system
- Supplied with adapter sockets for most forks
- Supplied with fork connection adapter without thru-axle
- Fully foldable and transportable



kg	QTY
48	039100010



## 3912TP/A

ADAPTER SOCKET FOR AXLE-THRU  
(THREAD SIDE)



L mm	Ø mm	Ø1 mm	g	QTY
39	30	5	14	039120052



## 3912TP/C

UNIVERSAL ADAPTER SOCKET FOR THRU-AXLE  
FORKS, HEXAGON SOCKET TIGHTENING



L mm	Ø mm	g	QTY
29	30	14	039120054



## 3912TP/FOX

ADAPTER SOCKETS  
FOR FOX® FORKS



L mm	g	QTY
38	14	039120058



## 3912TP/QRE

ADAPTER PIN FOR FORKS  
WITHOUT THRU-AXLES



L mm	g	QTY
108	35	039120064



## 3912TP/ROAD

ADAPTER SOCKET FOR ROAD FORKS  
OR NONADJUSTABLE LOCKING



L mm	Ø mm	g	QTY
33	35	16	039120060



## 3912TP/RS

ADAPTER SOCKET FOR ROCKSHOX®  
THRU-AXLE FORKS



L mm	Ø mm	g	QTY
35	30	11	039120056



## 39 12TP/ST

ADAPTER SOCKET FOR SUNTOUR FORKS,  
EXPANDER SIDE



L mm	Ø mm	Ø1 mm	g	QTY
31	30	18	14	039120062







# 3921

## DERAILLEUR HANGER ALIGNMENT GAUGE

- Adjustable, for wheel  $\varnothing$  20" ÷ 29"
- A must-have tool for checking derailleur hanger alignment and dealing with gear shifting problems



L mm	A mm	A1 mm	g	QTY
440	115	165	750	039210010




# 3923

## BLADE GUIDE TOOL FOR CUTTING AIRFOIL SHAPED SEATPOSTS UP TO 80 MM AND TUBES 1" ÷ 1.1/2"

- Fixing through knurled clamp

**Specially designed to work on tubes and seatposts, including built-in and airfoil-shaped ones.**



L mm	A1 max mm	Ø max mm	A mm	g	QTY
160	80	45	77,5	485	039230010




# 3952

MADE IN ITALY


## SIMPLE CONE WRENCH, CHROME-PLATED

- Reduced thickness

Chrome-plated finish, 2-mm thickness and PVC handle coating allow wrench to be used for multiple bicycle maintenance purposes



mm	L mm	S mm	A mm	g		QTY
13	205	2	42,5	76	039520013	
14	205	2	43,5	76	039520014	
15	205	2	44,5	78	039520015	
16	205	2	45,5	78	039520016	
17	205	2	46,5	78	039520017	
18	205	2	47,5	78	039520018	
19	205	2	48,5	79	039520019	
20	205	2	49,5	82	039520020	
21	205	2	49,5	82	039520021	
22	205	2	50,5	82	039520022	
24	205	2	51,5	84	039520024	




# 3952/S7

MADE IN ITALY

## SET OF 7 SIMPLE CONE WRENCHES

13-14-15-16-17-18-19 mm



g		QTY
450	039520207	



# 3952/S11

MADE IN ITALY

## SET OF 11 SIMPLE CONE WRENCHES

13-14-15-16-17-18-19-20-21-22-24 mm



g		QTY
	039520211	



# 3955


MADE IN ITALY



## OPEN END WRENCHES FOR UNIVERSAL HEADSETS, CHROME-PLATED

- Reduced thickness

Heat treatment and chrome-plated finish ensure durability, e.g. in case of heavy-duty jobs



mm	L mm	A mm	A1 mm	S mm	g		QTY
30x32	292	63,5	67,5	4	278	039550108	
32x36	319	63,5	76,0	4	330	039550114	



# 3975

## BEARING CUP PRESS

- For headset cup assembly, compatible with headset cups 1", 1.1/8", 1.1/4", 1.1/2" and 2"

not usable for "zero stack" caps




L mm	Ø mm	Ø1 "	Ø2 "	Ø3 "	Ø4 "	Ø5 "	kg		QTY
360	16x1	1	1.1/8	1.1/4	1.1/2	2	2,7	039750010	



# 3948

## CRANK EXTRACTOR

- For 15 mm nuts
- Beta's crank extractor with interchangeable adapter can be used for both square and grooved pins



mm	L mm	Ø mm	mm	g		QTY
15	79	20	15	114	039480015	




# 3953

MADE IN ITALY

## PEDAL WRENCH, CHROME-PLATED

- Reduced thickness
- PVC handle



401-mm length and dedicated heat treatment allow intensive, prolonged use of wrench


mm	L mm	S mm	A mm	g		QTY
15	401	4	50,5	378	039530015	



# 3971

## WRENCH FOR SHIMANO® PLASTIC BOLTS

- For installing and removing 8-notch counterbalance cap of Shimano® Hollowtech II cranksets
- Can also be used with 8-mm socket driver for hexagon screws, for increased strength




N°	mm	Ø mm	S mm	g	QTY
8	8	38,8	25	68	039710010



# 3972

## BOTTOM BRACKET REMOVAL WRENCH

- Suitable for Shimano® Hollowtech II, Campagnolo® Ultra-torque, FSA®, SRAM®
- 2PVC handle




L mm	A mm	S mm	g	QTY
252	78	4	267	039720010



# 3973PF

## PRESS-FIT BEARING REMOVAL TOOL

- Suitable for inside Ø 24 mm and 30 mm




L mm	Ø mm	g	QTY
240	21,5	227	039730001



## 3973/1 1/2"

### 16-NOTCH BOTTOM BRACKET REMOVAL SOCKET

- Suitable for Shimano® XTR BB93, Dura-Ace® BB9000
- 1/2" drive and 24-mm hexagon provide a variety of usage solutions




A1 mm	● mm	L mm	g	Part No.	QTY
12	24	34	115	039730010	



## 3973/2 1/2"

### 16-NOTCH BOTTOM BRACKET REMOVAL SOCKET

- Suitable for Shimano® BBR60 (Ultegra® 11 speeds)
- 1/2" drive and 24-mm hexagon provide a variety of usage solutions




A1 mm	● mm	L mm	g	Part No.	QTY
13,5	24	35	114	039730020	



## 3973/3 1/2"

### 16-NOTCH BOTTOM BRACKET REMOVAL SOCKET

- Suitable for Shimano® Hollowtech II, Campagnolo® Ultra-torque, FSA®, SRAM®
- 1/2" drive and 24-mm hexagon provide a variety of usage solutions




A1 mm	● mm	L mm	g	Part No.	QTY
15,3	24	53,5	220	039730030	



## 3973/4 1/2"

### 20-NOTCH BOTTOM BRACKET REMOVAL SOCKET WITH CENTRAL PIN, NICKEL-PLATED

- Suitable for Shimano® and ISIS
- 1/2" drive and 24-mm hexagon provide a variety of usage solutions



A1 mm	● mm	L mm	g	Part No.	QTY
30	24	55	164	039730040	



# 3991


MADE IN ITALY

## LEVER FOR PUSHING BACK DISC BRAKE PADS, CHROME-PLATED

- 2PVC handle
- Flat, chrome-plated surface prevents brake pistons from being damaged



L mm	A mm	$\alpha$	S mm	g		QTY
222	36	7°	4	200	039910010	




# 3992

## DISC BRAKE STRAIGHTENER, CHROME-PLATED

- 2PVC handle
- Different grooves with different angles make it possible to work in any situation, including toughest ones



L mm	S mm	A mm	A1 mm	g		QTY
234	4	55	2,2	249	039920010	






## 3961 3,2

### SPOKE WRENCH, BLACK, 3.2 MM

- Coloured band for ease of identification
- Colour allows quick, accurate size identification




□ mm	L mm	A mm	g	□ mm	QTY
3,2	57	40	20	039610032	



## 3961 3,3

### SPOKE WRENCH, GREEN, 3.3 MM

- Coloured band for ease of identification
- Colour allows quick, accurate size identification




□ mm	L mm	A mm	g	□ mm	QTY
3,3	57	40	20	039610033	



## 3961 3,5

### SPOKE WRENCH, RED, 3.5 MM

- Coloured band for ease of identification
- Colour allows quick, accurate size identification



□ mm	L mm	A mm	g	□ mm	QTY
3,5	57	40	20	039610035	



# 3961U

## PROFESSIONAL SPOKE WRENCH, 3.2 - 4.0 MM

- Ergonomic rubber handle
- Most used sizes always available



□ mm	📏 g	📦	QTY
3,2 - 4,0	40	039610100	



# 3962SH

## DOUBLE SPOKE WRENCH FOR SHIMANO®




L mm	A1 mm	A2 mm	📏 g	📦	QTY
132	4,3	4,4	58	039620010	



# 3962MV

## DOUBLE SPOKE WRENCH FOR MAVIC®




L mm	A1 mm	A2 mm	📏 g	📦	QTY
135	4,3	8,4	60	039620020	



# 3963P

## SPECIAL WRENCH FOR FLAT SPOKES

- Useful for installing flat spoke wheels
- 6 different openings hold a wide range of flat spokes, preventing them from twisting





L mm	S mm	A1 mm	A2 mm	g	039630010	QTY
129	15,5	2,2	2,5	31		



# 3964

## SPECIAL NIPPLE DRIVER

- Allows nipples to be screwed while installing wheel spokes
- Fitted with a rotary handle, for maximized comfort during use



Supplied with a spare spring in handle

L mm	L1 mm	g	039640010	QTY
170	89	40		



# 3965

## WHEEL ALIGNMENT GAUGE, Ø 20" ÷ 29"

- Suitable for working on road, mountain bike and BMX wheels
- Can also be used with installed tyres
- Sliding pin



L mm	g	Icon	QTY
680	550	039650010	




# 3965C

## PROFESSIONAL WHEEL TRUING STAND

- Can be fixed onto both a workbench, with supplied clamps, and into a vice
- For Ø 20" ÷ 29"
- Through axle hub adapter, 10 ÷ 20 mm
- Can be used with hub spacings ranging from 85 mm to 195 mm



Supplied plates allow secure, firm fixing to workbenches



L mm	L1 mm	A mm	kg	Icon	QTY
500	380	285	7,3	039650110	




# 3967

MADE IN ITALY

## SPROCKET REMOVAL WRENCH WITH CHAIN WHIP

- Caters for up to 11 speed cassettes
- 2PVC handle

Also suitable for fixed bicycles




L mm	S mm	g	QTY
289	4	245	039670010



# 3969

## STEEL TYRE LEVER

- 200 mm long
- Orange handle
- Suitable for heavy duty jobs



L mm	A mm	g	QTY
200	15,6	79	039690010



# 3969K3

## KIT WITH 3 TYRE LEVERS, MADE OF PLASTIC

- Suitable for both amateurs during their rides and mechanics in the workshop




L mm	g	QTY
113	30	039690130



## 3984/1

BMX FREEWHEEL REMOVAL WRENCH,  
4 GRAFTS, NICKEL-PLATED




L mm	mm	g		QTY
25,5	24	78	039840010	



## 3984/2

SHIMANO® FREEWHEEL REMOVAL WRENCH




L mm	mm	g		QTY
26	24	28	039840020	



## 3984/3 1/2"

SHIMANO® FREEWHEEL REMOVAL WRENCH,  
CASSETTE WITH PIN GUIDE, NICKEL-PLATED




L mm	L1 mm	mm	g		QTY
65	25	24	74	039840030	



# 3984/4

## CAMPAGNOLO FREEWHEEL REMOVAL WRENCH, WITH GUIDE PIN, PHOSPHATIZED




L mm	L1 mm	● mm	g	QTY
51	13	24	49	039840040



# 3984/5 12"

## FREEWHEEL REMOVAL WRENCH, 2 GRAFTS

- For SunTour wheels
- 1/2" drive and 24-mm hexagon provide a variety




L mm	● mm	g	QTY
38	21	68	039840050



# 3984/6 12"

## FREEWHEEL REMOVAL WRENCH, 4 GRAFTS

- For SunTour wheels
- 1/2" drive and 24-mm hexagon provide a variety of usage solutions.




L mm	● mm	g	QTY
36	21	64	039840060



# 3932U

PROFESSIONAL CHAIN TOOL COMPATIBLE WITH CHAINS FROM 5 TO 11 SPEEDS



L mm	L1 mm	g	QTY
164	115	210	039320011





# 3935

## CHAIN WEAR INDICATOR

- Suitable for checking chain elongation with “passes/does not pass” system
- 0% ÷ 0.75% chain does not need to be replaced
- 0.8% ÷ 1% chain needs to be replaced
- **A worn chain does not move smoothly and wears out sprocket more quickly**
- **A poorly maintained chain may result in sudden breakages**

This tool has been designed to indicate state of wear and shows whether chain has been subjected to elongation to such an extent as to require replacement



L mm	A mm	A1 mm	S mm	g	QTY
120	48	32	1,9	31	039350010





# 3937

## MISSING LINK PLIERS

- 2PVC handle
- Useful for removing and installing missing link

Dirt and corrosion may make it difficult to disassemble bike chain. Missing link pliers item 3937 provides a simple, immediate solution to such problem.



L mm	A mm	A1 mm	g	QTY
170	59	29	153	039370010





---

## CONTAMINATION

You choose  
the perfect outfit.

## 42

### COMBINATION WRENCHES, OPEN AND OFFSET RING ENDS, CHROME-PLATED

- Head thickness reduced to a minimum
- Torque values more than doubled compared to the requirements to be satisfied under ISO 1711 DIN 3113 UNI-ISO 7738



mm	L mm		QTY
6x6	95	000421006	
7x7	105	000421007	
8x8	116	000421008	
9x9	127	000421009	
10x10	137	000421010	
11x11	148	000421011	
12x12	158	000421012	
13x13	169	000421013	
14x14	180	000421014	
15x15	190	000421015	
16x16	201	000421016	
17x17	212	000421017	
18x18	222	000421018	
19x19	233	000421019	
20x20	243	000421020	
21x21	254	000421021	
22x22	264	000421022	
24x24	275	000421024	



### 42/B9N

6-7-8-10-11-13-14-17-19 mm

737 g 000421074

### 42/S17

6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm

1,6 kg 000421065



### 42/SP15

6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm

2,1 kg 000421078



### 42/SC9I

8-10-11-12-13-14-15-17-19 mm

950 g 000421087



### 55/B8N

6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22 mm

800 g 000550160

## 111E

### ADJUSTABLE WRENCHES WITH SCALES, CHROME-PLATED

- Compact head with completely open jaw with right-hand rotation
- Double laser marking in mm/inches DIN 3117 ISO 6787



L mm	L "	A max mm		QTY
100	4	15	001110110	
150	6	24	001110115	
200	8	28	001110120	
250	10	34	001110125	
300	12	35	001110130	

## 111CM

### WIDE OPENING ADJUSTABLE WRENCHES, CHROME-PLATED, SHORT SERIES

- Right-hand rotation
- Double laser marking in mm/inches
- Coated handle for optimized comfort and increased hold DIN 3117 ISO 6787



L mm	L "	A max mm		QTY
170	8	28	001110770	
220	10	34	001110722	

# 142

## REVERSIBLE RATCHETING COMBINATION WRENCHES, CHROME-PLATED

- Head bent at 15°
- Take-up angle: 5°



mm	L mm	001420006	QTY
6x6	136	001420006	
7x7	136	001420007	
8x8	136	001420008	
9x9	143	001420009	
10x10	159	001420010	
11x11	168	001420011	
12x12	174	001420012	
13x13	180	001420013	
14x14	190	001420014	
15x15	200	001420015	
16x16	216	001420016	
17x17	233	001420017	
18x18	239	001420018	
19x19	248	001420019	
21x21	285	001420021	
22x22	285	001420022	
24x24	325	001420024	



### 142/B6

8-10-13-14-17-19 mm

800 g 001420066



### 142/SC9I

8-10-11-12-13-14-15-17-19 mm

950 g 001420087



# 96

## OFFSET HEXAGON KEY WRENCHES, CHROME-PLATED

- Flat, chamfered ends for optimal screw fit ISO 2936



mm	L mm	L1 mm	000960013	QTY
0,9	35	8	000960013	
1,3	39	10	000960014	
1,5	45	15	000960015	
2	50	17	000960020	
2,5	57	20	000960025	
3	64	22	000960030	
3,5	68	25	000960035	
4	72	28	000960040	
4,5	78	30	000960045	
5	83	32	000960050	
5,5	88	35	000960055	
6	94	37	000960060	
7	99	40	000960070	
8	105	43	000960080	
9	111	46	000960090	
10	119	49	000960100	
11	126	52	000960110	
12	134	56	000960120	
13	142	62	000960130	
14	151	69	000960140	
16	165	75	000960160	
17	174	79	000960170	



### 96/BGS7

1,5-2-2,5-3-4-5-6 mm

150 g 000960367

### 96/BG7

2,5-3-4-5-6-8-10 mm

290 g 000960368



### 96/SC9

1,5-2-2,5-3-4-5-6-8-10 mm

300 g 000960374



### 96/SC12


2-2,5-3-3,5-4-4,5-5-6-7-8-9-10 mm

440 g 000960395

## 96BPC

### BALL HEAD OFFSET HEXAGON KEY WRENCHES CHROME-PLATED

- Ball head makes it possible to work at an angle of up to 30° to screw axis
- For tightening, use short side, if possible



mm	L mm	L1 mm	000960340	QTY
1,5	79	13	000960340	
2	84	15	000960341	
2,5	89	17	000960342	
3	99	19	000960343	
4	108	24	000960344	
5	126	27	000960345	
6	148	31	000960346	
7	157	33	000960353	
8	168	35	000960347	
10	187	39	000960348	
12	220	55	000960352	



### 96BPC/SC9


2,5-2-2,5-3-4-5-6-8-10 mm

400 g 000960354

## 96TBP

### BALL HEAD OFFSET HEXAGON KEY WRENCHES WITH HIGH TORQUE HANDLES

- Ball head makes it possible to work at an angle of up to 30° to screw axis
- For tightening, use short side, if possible



mm	L mm	L1 mm	000960685	QTY
2,5	153	55	000960685	
3	153	55	000960686	

mm	L mm	L1 mm	000960687	QTY
4	179	70	000960687	
5	200	84	000960688	
6	221	103	000960689	
8	255	117	000960690	
10	285	132	000960692	

### 96TBP/S6


2,5-3-4-5-6-8 mm

525 g 000960694

## 96T

### OFFSET HEXAGON KEY WRENCHES, WITH HIGH TORQUE HANDLES

- Calibrated hexagon ends, for perfect screw fit



mm	L mm	L1 mm	000960934	QTY
2	139	52	000960934	
2,5	153	55	000960935	
3	153	55	000960936	
3,5	179	70	000960937	
4	179	70	000960938	
4,5	200	84	000960939	
5	200	84	000960940	
6	221	103	000960941	
7	236	106	000960942	
8	255	117	000960943	
10	285	132	000960945	

### 96T/S6

2-2,5-3-4-5-6 mm

500 g 000960952

### 96T/S11

2-2,5-3-3,5-4-4,5-5-6-7-8-10 mm

1,1 kg 000960951



### 96T/SP11

2-2,5-3-3,5-4-4,5-5-6-7-8-10 mm

1,5 kg 000960957

## 97TX

OFFSET KEY WRENCHES,  
FOR TORX® HEAD SCREWS



⊙	L mm	L1 mm	📄	QTY
T6	42	16	000970006	
T7	48	16	000970007	
T8	48	16	000970008	
T9	48	16	000970009	
T10	51	17	000970010	
T15	54	18	000970015	
T20	57	19	000970020	
T25	60	20	000970025	
T27	64	21	000970027	
T30	70	24	000970030	
T40	76	26	000970040	



## 97TX/SC8


⊙ T9-T10-T15-T20-T25-T27-T30-T40

120 g 📄 000970064

## 97TTX

OFFSET KEY WRENCHES WITH HANDLES  
FOR TORX® HEAD SCREWS

- Calibrated hexagon ends, for perfect screw fit



⊙	L mm	L1 mm	📄	QTY
T6	130	52	000970706	
T7	130	52	000970707	
T8	139	52	000970708	
T9	139	52	000970709	
T10	179	70	000970710	
T15	179	70	000970715	
T20	179	70	000970720	
T25	179	70	000970725	
T27	200	84	000970727	
T30	200	84	000970730	
T40	221	103	000970740	

## 97TTX/S6

⊙ T10-T15-T20-T25-T30-T40

380 g 📄 000970791

## 97TTX/S8

⊙ T8-T10-T15-T20-T25-T27-T30-T40


500 g 📄 000970808



## 941

HEXAGON / BI-HEX SOCKET WRENCHES,  
WITH HIGH TORQUE HANDLES

- Deep, hi-torque hexagon nut spinner on long side



⊙ mm	L mm	L1 mm	A1 mm	📄	QTY
7x7	200	91	35	009410107	
8x8	220	107	50	009410108	
9x9	220	109	50	009410109	
10x10	236	111	50	009410110	
11x11	236	114	50	009410111	
12x12	255	122	50	009410112	
13x13	255	124	55	009410113	

## 941/S7

⊙ 7-8-9-10-11-12-13 mm

1,3 kg 📄 009410170

## 860/C27

25 BITS, 1 CONNECTOR  
AND 1 REVERSIBLE RATCHET

- In plastic case



	860/55	100 mm
	860LP	0,5x3-1,0x5,5-1,2x6,5 mm
	860PH	PH1-PH2(x2)-PH3
	860PZ	PZ1-PZ2(x2)-PZ3
	860PE	2-2,5-3-4-5-6 mm
	860TX	T6-T8-T10-T15-T20-T25-T30-T40
	892/0	1/4 1/4

mm	g		QTY
150x95x50	785	008600880	

## 900/21

1/4" FEMALE AND MALE DRIVE  
EXTENSION BARS

UNI/ISO 3316 DIN 3123



1/4"

L mm	Ø mm		QTY
150	11,5	009000822	

## 900/25

1/4" DRIVE  
UNIVERSAL JOINT

UNI/ISO 3316 DIN 3123




1/4"

L mm	Ø mm		QTY
41	12,5	009000830	

## 900/42

1/4" DRIVE SLIDING  
T-HANDLE

UNI/ISO 3315 DIN 3122




1/4"

L mm	A mm		QTY
115	22	009000854	

## 900/55

1/4" DRIVE  
REVERSIBLE RATCHET

- 48 teeth
- UNI/ISO 3315 DIN 3122



48 1/4"

L mm	Ø mm	A mm		QTY
125	25	18	009000870	

## 900/SB13

SET OF 13 HEXAGON  
HAND SOCKETS

- 1/4" hexagon hand sockets



1/4"

		QTY
4-4,5-5-5,5-6-7-8-9 10-11-12-13-14 mm	009000150	

## 900ME/SB8

SET OF SOCKET DRIVERS FOR HEXAGON SCREWS

- 1/4" female drive, chrome-plated



1/4"

		QTY
2,5-3-4-5-6-7-8-10 mm	009000518	

## 900TX/SB8

### SET OF 8 SOCKET DRIVERS FOR TORX® HEAD SCREWS

- 1/4" female square drive, chrome plated - burnished inserts

1/4"



		QTY
T9-T10-T15-T20 T25-T27-T30-T40	009000730	

## 900/C39N

### ASSORTMENT OF 11 HEXAGON SOCKETS, 21 BITS AND 7 ACCESSORIES, IN PLASTIC CASE

- In plastic case
- Compact, easy to carry
- Complete, everything that is needed at hand
- Functional, bits are easy to take out and put in



1/4" 1/4"

900	5-5,5-6-7-8-9-10-11-12-13-14 mm
900/20	50 mm
900/20L	100 mm
900/25	
900BG/30C	
900/55	
892/0	
895/1	1/4" □ 1/4" □
861LP	0,6x4,5-1,2x6,5-1,2x8 mm
861PH	1-2-3
861PZ	1-2-3
861PE	2,5-3-4-5-6 mm
861RTX	10-15-20-25-27-30-40

mm	g	QTY
150x95x50	785	009000947

## 910A/C16

### 16 HEXAGON SOCKETS AND 5 ACCESSORIES

- In sheet metal case



3/8"

910A	6-7-8-9-10-11-12-13-14-15-16-17-18-19-21 - 22 mm
910/21	125 mm
910/22	250 mm
910/25	
910/42	
910/55	

mm	kg	QTY
335x145x60	2,3	009100936

## 920/22

### 1/2" DRIVE EXTENSION BARS

UNI/ISO 3316 DIN 3123



1/2"

L mm	Ø mm	QTY
255	22	009200826

## 920/25

### 1/2" DRIVE UNIVERSAL JOINT

UNI/ISO 3316 DIN 3123




1/2"

L mm	Ø mm	QTY
75	12,5	009200830

## 920/42

### 1/2" DRIVE SLIDING T HANDLE

UNI/ISO 3315 DIN 3122



12"

L mm	A mm		QTY
305	42	009200854	

## 920/55

### 1/2" DRIVE REVERSIBLE RATCHET

- 72 teeth

UNI/ISO 3315 DIN 3122



72 12"

L mm	Ø mm	A mm		QTY
275	40	43	009200882	

## 920A/SB13

### SET OF 13 HEXAGON HAND SOCKETS

- 1/2" hexagon hand sockets, chrome-plated



12"

		QTY
10-11-12-13-14-15-16 17-18-19-20-21-22 mm	009200040	

## 920A/SB8

### SET OF 8 HEXAGON HAND SOCKETS

- 1/2" hexagon hand sockets, chrome-plated



12"

		QTY
23-24-25-26-27-28-30-32 mm	009200042	

## 920A/C20X

### 20 SOCKETS AND 5 ACCESSORIES

- In sheet metal case



12"

	920A	10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm
	920/21	125 mm
	920/22	255 mm
	920/25	
	920/42	
	920/55	

	mm		kg		QTY
	420x185x60		5,1	009200950	


## 605E

### CLICK-TYPE TORQUE WRENCHES WITH REVERSIBLE RATCHETS

- For right-hand and left-hand tightening  
torque accuracy:  $\pm 6\%$   
UNI EN 26789 ISO 6789



14"



Nm	Kgfm	lbf.in		A mm	L mm
1÷5	0,1÷0,5	10÷45	1/4	20	190

	g		QTY
605E/5	180	006050105	

Nm	Kgfm	lbf.in		A mm	L mm
2÷10	0,2÷1,0	18÷90	1/4	20	190

	g		QTY
605E/10	180	006050110	

## 605DGT/2

### ELECTRONIC TORQUE WRENCH FOR TORQUE UP TO 20 NM

- Accuracy:  $\pm 3\%$  right-hand,  $\pm 4\%$  left-hand
- Reversible ratchet
- Right-/left-hand tightening
- LCD display
- Unit of measurement: Nm, ft.lb, in.lb, kgcm
- Mode: Peak hold/Track

UNI EN ISO 6789



CE

Nm	Kgcm	lbf.ft	■	D mm	A mm	L mm	□
4÷20	10÷204	0,75÷14,75	1/4	20	20	210	0,01
		g		QTY			
605DGT/2		175	006050302				

## 666

### CLICK-TYPE TORQUE WRENCH FOR RIGHT-HAND TIGHTENING

The wrench that does not require releasing tension after use. 100% Italian-made, it is ideal for controlled tightening of screws/bolts.

UNI EN ISO 6789



Nm	■	D mm	A mm	L mm	□	
10÷50	3/8	30	33	342	0,25	
		g	QTY			
666/5		680	006660705			

Nm	■	D mm	A mm	L mm	□	
20÷100	3/8	30	33	385	0,25	
		g	QTY			
666/10		760	006660710			

Nm	■	D mm	A mm	L mm	□	
20÷100	1/2	30	37	385	0,25	
		g	QTY			
666/10X		770	006660711			

## 1048N

### SLIP JOINT PLIERS

- Slip-proof PVC handles
- 9-position model



L mm	A max mm	L1 mm	□	QTY
175	30	29	010480910	
250	48	39	010480915	

## 1458

### EXTERNAL BUTT-ENDED CIRCLIP PLIERS

DIN 5417




∅ mm	L mm	□	QTY
30÷100	200	014580001	

## 1009L/A

### EXTRA LONG NEEDLE KNURLED NOSE PLIERS

- For special operations, slip-proof double layer PVC coated handles



L mm	L1 mm		QTY
283	80	010090008	

## 1032

### INTERNAL CIRCLIP PLIERS, STRAIGHT PATTERN

- PVC-coated handles  
UNI 7914 DIN 5256



L mm	∅ mm		QTY
140x0,9	8÷12	010320013	
140x1,3	12÷25	010320014	
180	19÷60	010320017	

## 1034

### INTERNAL CIRCLIP PLIERS, BENT PATTERN, 90°

- PVC-coated handles  
UNI 7914 DIN 5256




L mm	∅ mm		QTY
130x0,9	8÷12	010340013	
130x1,3	12÷25	010340014	
170	19÷60	010340017	

## 1036

### EXTERNAL CIRCLIP PLIERS, STRAIGHT PATTERN

- PVC-coated handles  
UNI 7915 DIN 5254



L mm	∅ mm		QTY
140x0,9	3÷10	010360013	
140x1,3	10÷25	010360014	
175	19÷60	010360017	

## 1038

### EXTERNAL CIRCLIP PLIERS, BENT PATTERN, 90°

- PVC-coated handles  
UNI 7915 DIN 5254




L mm	∅ mm		QTY
135x0,9	3÷10	010380013	
135x1,3	10÷25	010380014	
175	19÷60	010380017	

## 1150

### COMBINATION PLIERS BRIGHT CHROME-PLATED

- Slip-proof double layer PVC coated handles  
ISO 5746




L mm	L1 mm	≠ mm		QTY
160	37	1,6	011500046	
180	41	1,8	011500048	
200	45	2,0	011500050	

## 1166

### EXTRA-LONG NEEDLE KNURLED NOSE PLIERS, CHROME-PLATED

- Slip-proof double layer PVC coated handles ISO 5745




L mm	L1 mm	± mm		QTY
160	56	1,6	011660006	

## 1168

### EXTRA-LONG BENT NEEDLE KNURLED NOSE PLIERS, CHROME-PLATED

- Slip-proof double layer PVC coated handles ISO 5745




L mm	L1 mm	± mm		QTY
160	54	1,6	011680006	

## 1081

### SEMI-FLUSH CUTTING NIPPERS

- Slip-proof double layer PVC coated handles
- For micro-mechanics and heavy-duty electronics




L mm	L1 mm		QTY
125	16	010810130	

## 1084

### HEAVY DUTY DIAGONAL CUTTING NIPPERS, CHROME-PLATED

- Slip-proof double layer PVC coated handles UNI/ISO 5749




L mm	L1 mm	± mm		QTY
160	22	1,6	010840006	

## 334

### PIPE CUTTER FOR COPPER AND LIGHT ALLOY PIPES

- Fold-away reaming blade



Ø mm - "	L mm		QTY
3÷30 1/8"÷1"1/8	150	003340001	



## 334R

Spare cutter wheel for item 334 for stainless steel pipes


18 g		003340021
------	--	-----------



## 1128FX

### ELECTRICIAN'S SCISSORS, STRAIGHT STAINLESS STEEL BLADES

- With microteeth, cable cutting groove and crimping pliers for tube terminals
- With cable cutting and crimping function: 1 ÷ 4mm<sup>2</sup>
- Articulated belt hook case



L mm	L1 mm	mm <sup>2</sup>		QTY
155	55	50	011280090	

## 1201E

### SCREWDRIVERS FOR SLOTTED HEAD SCREWS, CHROME-PLATED

ISO 2380




SxAxL mm	L1 mm		QTY
0,4x2,5x50	146	012011003	
0,5x3x75	171	012011009	
0,8x4x125	221	012011033	
1,0x5,5x125	234	012011042	
1,2x6,5x100	220	012011048	

## 1202E

### SCREWDRIVERS FOR CROSS HEAD PHILLIPS® SCREWS, CHROME-PLATED,

UNI/ISO 8764



PHxDxL mm	L1 mm		QTY
0x3x60	156	012021003	
1x4,5x80	189	012021009	
2x6x100	220	012021018	



## 1203E/D7


1201 0,5x3x75-0,8x4x100-1,0x5,5x100-1,2x6,5x150 mm  
1202 PH0x3x60-PH1x4,5x80-PH2x6x100 mm

600 g 012031007

## 1201EN

### SCREWDRIVERS FOR SLOTTED HEAD SCREWS, EXTRA-SHORT SERIES, CHROME-PLATED,

- Ideal for working in spaces where no standard screwdrivers can reach ISO 2380




SxAxL mm	L1 mm		QTY
0,8x4x30	86,5	012011103	
1,2x6,5x30	86,5	012011106	

## 1202EN

### SCREWDRIVERS FOR CROSS HEAD PHILLIPS® SCREWS, EXTRA-SHORT SERIES, CHROME-PLATED

- Ideal for working in spaces where no standard screwdrivers can reach UNI/ISO 8764



PHxDxL mm	L1 mm		QTY
1x4,5x30	86,5	012021103	
2x6x30	86,5	012021106	

## 1207E/TX

### SCREWDRIVERS FOR TORX® HEAD SCREWS, WITH HANDLES, CHROME-PLATED

- Spring mechanism
- Blades on the handle also allow for accurate stripping of cables



☉	L mm	L1 mm	D mm	☰	QTY
T5	50	150	3	012071005	
T6	60	156	4	012071006	
T7	60	156	4	012071007	
T8	60	156	4	012071008	
T9	60	156	4	012071009	
T10	80	189	5	012071010	
T15	80	189	5	012071015	
T20	100	209	5	012071020	
T25	100	209	5	012071025	
T27	100	220	6	012071027	
T30	100	220	6	012071030	
T40	130	262	7	012071040	
T45	130	262	8	012071045	

## 1207E/TX-D7



☉ T6-T8-T10-T15-T20-T25-T30

560 g ☰ 012071207



## 1266BP

### BALL HEAD HEXAGON DRIVERS WITH HANDLES



mm	L mm	L1 mm	☰	QTY
2	100	200	012660020	
2,5	100	200	012660025	
3	125	225	012660030	
4	125	233	012660040	
5	120	239	012660050	
6	140	259	012660060	
8	160	287	012660080	
10	160	287	012660100	

## 1256/C36-2

### BI-MATERIAL MICROSCREWDRIVER WITH 36 INTERCHANGEABLE 4-MM BITS AND MAGNETIC EXTENSION



4 mm

☉	1256TX	T3-T4-T5-T6-T7-T8-T9-T10-T15
☉	1256RTX	T6 - T7 - T8 - T9 - T10
☉	1256LP	0,8-1,2-1,5-1,8-2-2,5-3-3,5-4 mm
☉	1256PE	0,7 - 0,9 - 1,3 - 1,5 - 2 mm
☉	1256PH	PH000 - PH00 - PH0 - PH1
☉	1256PZ	PZ000 - PZ00 - PZ0 - PZ1
	1256/20	
	1256/30	

☰ mm	⚖ g	☰	QTY
130x60x35	200	012560100	

## 1370

### ENGINEER'S HAMMER

- Wooden shaft
- UNI 7778 DIN 1041



⚖ g	A mm	L mm	L1 mm	⚖ g	☰	QTY
200	19	280	95	236	013700052	
300	23	300	105	439	013700053	

## 1390

### SOFT FACE HAMMERS

- Wooden shafts
- UNI 7784




∅ mm	L mm	L1 mm	⚖ g	☰	QTY
28	280	85	230	013900028	
35	310	95	365	013900035	

## 1650

### SLIDING GAUGE MADE FROM HARDENED STAINLESS STEEL

- In leather sheath
  - Reading to 0.05 mm
  - Spring locking
- UNI EN ISO 13385-1DIN 862



CE

A max mm	L mm		QTY
150	235	016500001	

## 1696

### SPIRIT LEVELS MADE FROM ANODIZED PROFILE ALUMINIUM

- 2 unbreakable vials
- Precision 1 mm/m
- Adjustable horizontal vial



L mm	H mm	S mm		QTY
200	50	19	016960002	

## 1762

### REVOLVING PUNCH PLIERS



Ø mm	L mm		QTY
2-2,5-3-3,5-4-4,5	210	017620001	

## 1767PMC

### MAGNETIC TOOL HOLDER, ROUND



Ø mm		QTY
150	017670020	

## 1719BMA...Q

### SECOND-CUT SQUARE FILES, WITH HANDLES



	L mm	L" mm		QTY
1719BMA6/Q	150	6	017190021	
1719BMA8/Q	200	8	017190052	

## 1719BMA...T

### SECOND-CUT TRIANGULAR FILES, WITH HANDLES



	L mm	L" mm		QTY
1719BMA6/T	150	6	017190023	
1719BMA8/T	200	8	017190054	

## 1719BMA...P

### SECOND-CUT FLAT FILES, WITH HANDLES



	L mm	L" mm		QTY
1719BMA6/P	150	6	017190025	
1719BMA8/P	200	8	017190056	

## 1719BMA...M

SECOND-CUT HALF-ROUND FILES,  
WITH HANDLES



	L mm	L" mm		QTY
1719BMA6/M	150	6	017190027	
1719BMA8/M	200	8	017190058	

## 1719BMA...R

SECOND-CUT ROUND FILES,  
WITH HANDLES



	L mm	L" mm		QTY
1719BMA6/R	150	6	017190029	
1719BMA8/R	200	8	017190060	

## 1719BMA6/S5

L 150 mm - ■ ▲ | ▶ ●

560 g 017190030

## 1719BMA8/S5

L 200 mm - ■ ▲ | ▶ ●

870 g 017190070

## 1719BMA...B5

SET OF 5 SECOND-CUT FILES, WITH HANDLES,  
IN WALLET




	L mm	L" mm		QTY
1719BMA8/B5	200	8	017190297	
1719BMA10/B5	250	10	017190298	

## 1726

HACKSAW FRAME, BLADE ATTACHMENT SYSTEM  
IN THE HANDLE

- Hacksaw frame made from varnished steel
- Aluminium alloy handle with built-in blade attachment system



L mm	L1 mm		QTY
440	300	017260001	

## 1728BM


hacksaw blade - L 300 mm

18 g 017280010

## 1599F

PARALLEL BENCH VICES, FORGED

- Milled and hardened jaw surface



L1 mm	BxH mm	Ø mm	A max mm		QTY
125	108x54	13	150	015990125	

## 1716A

ANGLED BIT FOR GENERAL USE

- Nonslip bi-material handle




L mm	L1 mm	■ mm		QTY
240	125	6	017160040	

## 1716U

### HOOK BIT FOR GENERAL USE

- Nonslip bi-material handle




L mm	L1 mm	Ø mm		QTY
195	80	6	017160025	

## 1716P

### PACKING SCRAPER

- Nonslip bi-material handle




L mm	L1 mm	Ø mm		QTY
250	125	6	017160020	

## 1716Q

### SQUARE BIT REAMER

- Nonslip bi-material handle




L mm	L1 mm	Ø mm		QTY
215	100	6	017160010	

## 1716R

### ROUND BIT REAMER

- Nonslip bi-material handle



L mm	L1 mm	Ø mm		QTY
215	100	6	017160001	

## 1838AM

### RECHARGEABLE LED INSPECTION LAMP, WITH DOUBLE LIGHT EMISSION, ARTICULATED, CAN BE ROTATED 180°, WITH SWIVEL MAGNETIC BASE AND HOOK

- Double light emission:
  - front: LED COB, 60-700 lumens, can be adjusted with potentiometer
  - spot (head): LED SMD, 120 lumens, ON-OFF switch
- Rechargeable 3.6V 2600mAh Li-ion battery
- With USB-C port
- Supplied with 100-240V / 50-60Hz charger
- Charging time: 4h
- Battery life: front: 2.5-16h / spot (head): 10h
- 3-LED battery level indicator
- Articulated, can be rotated 180° ( $\pm 90^\circ$  compared to axis)
- Magnetic base (with neodymium magnet), can be rotated 90°
- Swivel base hook
- IP54
- IK07



CE

L mm	l mm	S mm	g		QTY
405	40	45	300	018380400	

L1 mm	l1 mm	S1 mm	g		QTY
405	40	45	300	018380400	

## 1838/11LED

### RECHARGEABLE INSPECTION LAMP WITH ULTRA-HIGH BRIGHTNESS LEDS

- Lithium polymer battery
- Compact body made of antislip rubber
- Now with head LED
- Easy-to-replace front glass
- Swinging hook
- With charging station, 110-230Vac
- 320 lumens
- With multidirectional head LED



CE

	QTY
1838/11LED	IP65
018380111	

## 1895

### ULTRASONIC CLEANING TANK

- With special degas function
- Ultrasonic cleaning relies on fluid heating to effectively clean spare parts and metal pieces in general (injectors, carburettors, valves etc.)
- Digital display for temperature and cleaning time selection
- Two cleaning modes: "soft" and "normal"
- For normal cleaning, just use water at a temperature of 50/60 °C
- For more accurate cleaning, add non-foaming detergent specific for ultrasonic tanks
- Using the degas mode speeds up air release throughout the tank, thereby improving ultrasonic cleaning efficiency



	6 litres	13 litres	27 litres
Tank capacity	6 litres	13 litres	27 litres
Drain tap	✓	✓	✓
Power	150 Watt	300 Watt	500 Watt
Heating power	300 Watt	400 Watt	500 Watt
Temperature range	0÷80°C	0÷80°C	0÷80°C
Cleaning time range	0-99 min	0-99 min	0-99 min
Frequency	40 kHz	40 kHz	40 kHz
Power supply	220/230V	220/230V	220/230V
Dimensions	330x180 x310 mm	350x325 x320 mm	530x330 x380 mm
Tank dimensions	300x155 x150 mm	325x235 x145 mm	500x300 x200 mm



	Litres	kg		QTY
<b>1895 13</b>	13	12,5	018950130	
<b>1895 27</b>	27	13,5	018950270	

## 988 1U

### INDUSTRIAL ALKALINE DETERGENT FOR ULTRASONIC TANK

Allows spare parts and metal pieces in general (injectors, carburettors, valves etc.) to be accurately and effectively cleaned. Removes oil, grease, lubricants, residues of glue, resin and wax. Also suitable for cleaning aluminium parts.



	Litres		QTY
<b>9881U 1 (1-2)</b>	1	098810010	
<b>9881U 1 (3)</b>	1	098812010	

## 5915VU/1

### ASSORTMENT OF 45 TOOLS

Universal use



	30	drift punches Ø 2-3 mm
	32	centre punch Ø 4 mm
	34	flat chisels 125-150 mm
	36	cape chisels, standard type 150 mm
	42	combination wrenches 6÷14-17-19-21-22-24 mm
	96/SC9	offset hexagon key wrenches 1,5-2-2,5-3-4-5-6-8-10 mm
	111E	Adjustable wrench 250 mm
	1048N	slip joint pliers, slip-proof PVC coated handles 250 mm
	1082G	diagonal cutting nippers, slip-proof double layer PVC coated handles, industrial finish 160 mm
	1128BMX	electrician's scissors, straight blades
	1150G	heavy duty combination pliers, slip-proof double layer PVC coated handles, industrial finish 180 mm
	1166G	extra-long needle knurled nose pliers, slip-proof double layer PVC coated handles, industrial finish 160 mm
	1201E	screwdriver for slotted head screws 3x75-4x100-5,5x100-6,5x150 mm
	1202E	screwdriver for cross head Phillips® screws PH0x60-PH1x80-PH2x100 mm
	1370	engineer's hammer 300 g
	1692	measuring tape 5 m
	1771	snap - off blade utility knife

	QTY
059151024	



## 5980U/BIKE

### ASSORTMENT OF 90 TOOLS

Bicycle repairs

5 combination wrenches 8-9-10-13-14 mm	42
9 ball head offset hexagon key wrenches burnished Ø 1,5-2-2,5-3-4-5-6-8-10 mm	96BP/SC9
8 offset hexagon key wrenches 2-2,5-3-4-5-6-8-10 mm	96T/S8
8 drivers for Torx® head screws, with handles T8-T10-T15-T20-T25-T27-T30-T40	97TTX/S8
1 Wide opening adjustable wrenches, chrome-plated, short series 170 mm	111CM
1 pipe cutter for copper and light alloy pipes	334
1 click-type torque wrenches with reversible ratchets 2÷10 Nm	605E
13 Ø 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm	900/SB13
1 1/4" drive extension bar	900/21
1 1/4" drive universal joint	900/25
1 1/4" reversible ratchet	900/55
1 diagonal cutting nippers, slip-proof double layer PVC coated handles, industrial finish 160 mm	1082G
1 electrician's scissors, straight blades 145 mm	1128BM
1 heavy duty combination pliers, slip-proof double layer PVC coated handles, industrial finish 180 mm	1150G
1 extra-long needle knurled nose pliers, slip-proof double layer PVC coated handles, industrial finish 180 mm	1166G
7 3x75-4x125-5,5x150-6,5x150-PH0x60-PH1x80-PH2x100 mm	1203E/D
1 engineer's hammer 300 g	1370
1 soft face hammer Ø 35 mm	1390
1 sliding gauge 150 mm	1650
1 measuring tape 3 m	1692/3
1 second-cut flat files 200 mm	1719BMA...P
1 second-cut half-round files 200 mm	1719BMA...M
1 second-cut round files 200 mm	1719BMA...R
1 hacksaw frame, aluminium handle 300 mm	1725
1 snap - off blade utility knife	1771
1 chain wear indicator 120 mm	3935
1 missing link pliers 170 mm	3937
7 set of 7 simple cone wrenches 13-14-15-16-17-18-19 mm	3952/S7
1 pedal wrench 15 mm	3953
1 spoke wrench, black, 3,2 mm □	3961 3,2
1 spoke wrench, green, 3,3 mm □	3961 3,3
1 spoke wrench, red, 3,5 mm □ 3	3961 3,5
1 professional spoke wrench, 3,2 - 4,0 mm □ 3,2 - 4,0 mm	3961U
1 sprocket removal wrench with chain whip 289 mm	3967
1 tyre lever 200 mm	3969
3 kit with 3 tyre levers, made of plastic 113 mm	3969K3
1 lever for pushing back disc brake pads 222 mm	3991
1 disc brake straightener 234 mm	3992



QTY

059801040

## 5980U/BIKE-M

### ASSORTMENT OF 106 BICYCLE TOOLS

Bicycle repairs



M05

M50

M55



M137

M234

M236

M294



M213



M400



**M401**



16	combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21 mm	42	M05
8	offset hexagon key wrenches 2-2,5-3-4-5-6-7-8 mm	96T	M50
5	drivers for Torx® head screws, with handles TX10-TX15-TX20-TX25-TX30	97TTX	M55
1	Heavy-duty diagonal cutting nippers 160 mm	1084	M137
1	half-round needle nose pliers 160 mm	1150	M137
1	Extra-long needle nose pliers 160 mm	1166	M137
6	screwdriver for slotted head screws 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm	1201E	M213
1	screwdriver for slotted head screws, extra-short series 4x30 mm	1201EN	M213
4	screwdriver for cross head Phillips® screws PH0x60-PH1x80-PH2x100-PH3x150 mm	1202E	M213
1	screwdriver for cross head Phillips® screws, extra-short series 4,5x30 mm	1202EN	M213
12	screwdrivers for Torx® head screws, with handles TX6- TX7-TX8-TX9-TX10-TX15-TX20- T25-TX27-TX30-TX40-TX45	1207E/TX	M213
1	mains testing screwdriver	1253	M213
1	engineer's hammer 300 g	1370	M234
1	soft face hammer 35 mm	1390	M234
2	flat chisels, ribbed type 100-200 mm	35	M234
1	Set of 5 second-cut files, with handles 200 mm	1719BMA...S5	M236
1	measuring tape 5 m	1692	M294
1	mini hacksaw frame 250 mm	1725CR	M294
1	snap - off blade utility knife	1771	M294
1	18 mm snap-off spare blades (10 pieces) for utility knives 1771, 1771BM, 1771HD	1771RL	M294
1	professional chain tool with chains from 5 to 11 speeds	3932U	M400
1	chain wear indicator	3935	M400
1	missing link pliers	3937	M400
7	simple cone wrench 13-14-15-16-17-18-19 mm	3952	M400
1	spoke wrench, black, 3,2 mm □ 3,2 mm	3961 3,2	M400
1	spoke wrench, green, 3,3 mm □ 3,3 mm	3961 3,3	M400
1	spoke wrench, red, 3,5 mm □ 3,5 mm	3961 3,5	M400
1	professional spoke wrench, 3,2 - 4,0 mm □ 3,2-4,0 mm	3961U	M400
1	tyre lever	3969	M400
1	kit with 3 tyre levers, made of plastic	3969K3	M400
1	16-notch bottom bracket removal socket 39 mm	3973/1	M400
1	16-notch bottom bracket removal socket 41 mm	3973/2	M400
1	16-notch bottom bracket removal socket 46 mm	3973/3	M400
1	20-notch bottom bracket removal socket with central pin, nickel-plated 31,5 mm	3973/4	M400
1	BMX freewheel removal wrench, 2 grafts 35 mm	3984/1	M400
1	Shimano freewheel removal wrench 22,8 mm	3984/2	M400
1	Shimano freewheel removal wrench, cassette with guide pin 23,5 mm	3984/3	M400
1	Campagnolo freewheel removal wrench, with guide pin 23 mm	3984/4	M400
1	lever for pushing back disc brake pads	3991	M400
1	disc brake straightener	3992	M400
1	derailleur hanger alignment gauge	3921	M401
1	crank extractor	3948	M401
1	pedal wrench	3953	M401
2	open end wrenches for universal headsets 30x32-32x36 mm	3955	M401
1	sprocket removal wrench with chain whip	3967	M401
1	wrench for Shimano plastic bolts	3971	M401

		QTY
059801050		

## M400

### ASSORTMENTS IN SOFT MODULE 29UT

- EVA foam tray with bicycle repair tools




	3932U	
	3935	120 mm
	3937	170 mm
	3952	13-14-15-16-17-18-19 mm
	3961 3,2	3,2 mm
	3961 3,3	3,3 mm
	3961 3,5	3,5 mm
	3961U	3,2-4,0 mm
	3969	200 mm
	3969K3	113 mm
	3973/1	
	3973/2	
	3973/3	
	3973/4	
	3984/1	Ø 35 mm
	3984/2	Ø 22,8 mm
	3984/3	Ø 23,5 mm
	3984/4	Ø 23 mm
	3991	222 mm
	3992	234 mm

kg		QTY
3,1	024500400	

## M218

### FOAM TRAY WITH BETA EASY SCREWDRIVERS FOR SLOTTED AND PHILLIPS® HEAD SCREWS

- EVA foam tray with tool assortment



	1201E	3x75-4x100-5,5x150-6,5x150 mm
	1202E	PH0x60-PH1x80-PH2x100 mm

g		QTY
500	024500218	

## M401

### ASSORTMENTS IN SOFT MODULE 7UT

- EVA foam tray with bicycle repair tools



	3921	440 mm
	3948	
	3953	
	3955	30x32-32x36 mm
	3967	289 mm
	3971	

 kg		QTY
2,7	024500401	

## M133

### SOFT FOAM TRAY WITH PLIERS AND NIPPERS

- EVA foam tray with tool assortment



	1082G	
	1150G	
	1166G	

 g		QTY
650	024500133	

## M05

### ASSORTMENTS IN SOFT MODULE 16UT

- EVA foam tray with combination wrenches



	42	6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21 mm
---	----	--

 kg		QTY
1,5	024500005	

## M145

### ASSORTMENTS IN SOFT MODULE 4UT

- EVA foam tray with tool assortment



	1032	180 mm
	1034	170 mm
	1036	175 mm
	1038	175 mm

 g		QTY
640	024500145	

## M13

### ASSORTMENTS IN SOFT MODULE 11UT

- EVA foam tray with combination wrenches



 42SLIM 8-10-11-12-13-14-15-16-17-18-19 mm

 kg		QTY
1,2	024500013	

## M236

### SOFT THERMOFORMED TRAY WITH TOOL ASSORTMENT

- EVA foam tray with tool assortment



1719BMA/Q	
1719BMA/T	
1719BMA/P	
1719BMA/M	
1719BMA/R	

 g		QTY
870	024500236	

## M52

### ASSORTMENTS IN SOFT MODULE 5UT

- EVA foam tray with offset hexagon key wrenches, with high torque handles



 96T 2,5-3-4-5-6 mm

 g		QTY
330	024500052	

## M85

### SOFT THERMOFORMED TRAY WITH TOOL ASSORTMENT

- EVA foam tray with tool assortment



	851SR	
	860LP	0,5x3-0,6x4,5-0,8x5,5-1x5,5-1,2x6,5 mm
	860PE	2-2,5-3-4-5-6-8-10 mm
	860PH	PH0-PH1-PH2-PH3-PH4
	860PZ	PZ1-PZ2-PZ3-PZ4
	860TX	T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40
	860RTX	T9-T10-T15-T20-T25-T27-T30-T40
	860/55	3,2-4,0 mm
	882P	200 mm
	892	113 mm

 g		QTY
450	024500085	





PARTNER OF:



Official  
Supplier  
2024



3D Beta S.r.l.  
20853 Biassono (MB) - ITALY  
Via delle Industrie, 38  
+39 039 492370  
info@3dbeta.it  
www.3dbeta.it

