




**CATALOGO
CONFIGURAZIONI
STANDARD**

***STANDARD
CONFIGURATION
CATALOGUE***




CONFIGURAZIONE BASE 1600 BASIC CONFIGURATION 1600

COD. 3DP99W00IEX


COLORAZIONI | COLORS

- Nero sablè - Anti impronta
Black sablè - Fingerprint-proof
- Alluminio semilucido
Semi gloss aluminium

DIMENSIONI COMPLESSIVE OVERALL SIZE



DATI TECNICI TECHNICAL DATA



Modulo 6 cassetti:

- 4x Cassetti da H 71 mm
 - 1x Cassetto da H 142 mm
 - 1x Cassetto da H 239 mm
- (dim. interne L 588 x P 567 mm)

6 drawers module:

- 4x Drawers H 71 mm
 - 1x Drawer H 142 mm
 - 1x Drawer H 239 mm
- (internal dim. W 588 x D 567 mm)

 **PORTATA / CAPACITY**
45 kg per ogni cassetto / 45 kg for each drawer

Tappeto anti olio/benzina
Oil/fuel proof cover

Modulo spazzatura + Servizi arrotolatore aria 8 mt
M. 3/8" BSP, arrotolatore corrente 10 mt 1600 W e
portacarta
L 800 x P 700 x H 930


Garbage module + Services air reel 8 mt M. 3/8"
BSP, electrical reel 10 mt 1600 W and paper
holder
W 800 x D 700 x H 930

Alzatina anticaduta H 40 mm
Fall-protection panel H 40 mm



Modulo 6 cassetti
L 800 x P 700 x H 930
(dim. interne L 588 x P 567)


6 drawers module
W 800 x D 700 x H 930
(internal dim. W 588 x D 567)



* Utensili non inclusi / *Tools not included*

Struttura autoportante
Self-supporting structure


Pannelli forati portautensili
L 800 x P 25 x H 450
Perforated tool panels
W 800 x D 25 x H 450



CONFIGURAZIONE 1600 CON PENSILI A DUE ANTE
CONFIGURATION 1600 WITH TWO-DOOR WALL CABINETS
COD. 3DP99W05IFT

CONFIGURAZIONE 1600 CON PANNELLI FORATI
CONFIGURATION 1600 WITH PERFORATED PANELS
COD. 3DP99W06IFT

*Inclusi 40 ganci lunghezza 40 mm
*Including 40 hooks length 40 mm



Pensili a due ante
L 800 x P 350 x H 450
Two-door wall cabinets
W 800 x D 350 x H 450

Pannelli ciechi
L 800 x P 25 x H 450
Solid panels
W 800 x D 25 x H 450



Serranda con avvolgibile in alluminio
L 1600 x P 200 x H 900

Aluminium roller shutter unit
W 1600 x D 200 x H 900


Pannelli forati portautensili interni
Perforated internal tool panels

Struttura autoportante
Self-supporting structure



CONFIGURAZIONE 1600 CON SERRANDA
CONFIGURATION 1600 WITH ROLLER SHUTTER
COD. 3DP99W07IFT

*Inclusi 40 ganci da 60 mm e 10 ganci da 80 mm
* Including 40 hooks of 60 mm and 10 hooks of 80 mm




CONFIGURAZIONE BASE 2050 BASIC CONFIGURATION 2050

COD. 3DP99W011FQ


COLORAZIONI | COLORS

-  Nero sablé - Anti impronta
Black sablé - Fingerprint-proof
-  Alluminio semilucido
Semi gloss aluminium

DIMENSIONI COMPLESSIVE OVERALL SIZE



DATI TECNICI TECHNICAL DATA



Cassettiera mobile 7 cassetti:

- 6x Cassetti da H 71 mm
 - 1x Cassetto da H 239 mm
- (dim. interne L 588 x P 367 mm)
4 ruote girevoli, 2 con freno

Rollercab 7 drawers:

- 6x Drawers H 71 mm
 - 1x Drawer H 239 mm
- (internal dim. W 588 x D 367 mm)
4 swivel wheels, 2 with brake

 **PORTATA / CAPACITY**
45 kg per ogni cassetto / 45 kg for each drawer

Tappeto anti olio/benzina

Oil/fuel proof cover


Alzatina anticaduta H 40 mm

Fall-protection panel H 40 mm

Cassettiera mobile 7 cassetti con
n° 2 portaflaconi. Piano in ABS
L 800 x P 475 x H 930
(dim. interne L 588 x P 367 mm)

*Rollercab 7 drawers with n° 2 holders.
ABS worktop
W 800 x D 475 x H 930
(internal dim. W 588 x D 367 mm)*

* Utensili non inclusi / *Tools not included*



Maniglie in alluminio

Aluminium handles

Servizi arrotolatore aria 8 mt M. 3/8" BSP, arrotolatore
corrente 10 mt 1600 W e portacarta
L 433 x P 700 x H 930

*Services air reel 8 mt M. 3/8" BSP, electrical reel 10 mt
1600 W and paper holder
W 433 x D 700 x H 930*



Modulo 4 cassetti
L 800 x P 700 x H 930
(dim. interne L 588 x P 567 mm)

*4 drawers module
W 800 x D 700 x H 930
(internal dim. W 588 x D 567 mm)*



Struttura autoportante
Self-supporting structure



Pannelli forati portautensili
L 1024 x P 25 x H 450
Perforated tool panels
W 1024 x D 25 x H 450



CONFIGURAZIONE 2050 CON PENSILI A DUE ANTE
CONFIGURATION 2050 WITH TWO-DOOR WALL CABINETS
COD. 3DP99W09IFU

CONFIGURAZIONE 2050 CON PANNELLI FORATI
CONFIGURATION 2050 WITH PERFORATED PANELS
COD. 3DP99W08IFU

*Inclusi 40 ganci lunghezza 40 mm
*Including 40 hooks length 40 mm



Pensili a due ante
L 1024 x P 350 x H 450
Two-door wall cabinets
W 1024 x D 350 x H 450

Pannelli ciechi
L 1024 x P 25 x H 450
Solid panels
W 1024 x D 25 x H 450



Serranda con avvolgibile in alluminio
L 2050 x P 200 x H 900

Aluminium roller shutter unit
W 2050 x D 200 x H 900

Pannelli forati portautensili interni



Perforated internal tool panels

Struttura autoportante
Self-supporting structure



CONFIGURAZIONE 2050 CON SERRANDA
CONFIGURATION 2050 WITH ROLLER SHUTTER
COD. 3DP99W10IFU

*Inclusi 40 ganci da 60 mm e 10 ganci da 80 mm
* Including 40 hooks of 60 mm and 10 hooks of 80 mm




CONFIGURAZIONE BASE 2050 BASIC CONFIGURATION 2050

COD. 3DP99W02IFQ


COLORAZIONI | COLORS

- Nero sablè - Anti impronta
Black sablè - Fingerprint-proof
- Alluminio semilucido
Semi gloss aluminium

DIMENSIONI COMPLESSIVE OVERALL SIZE



DATI TECNICI TECHNICAL DATA



Cassettiera mobile 7 cassetti:

- 6x Cassetti da H 71 mm
- 1x Cassetto da H 239 mm
- (dim. interne L 588 x P 367 mm)
- 4 ruote girevoli, 2 con freno

Rollercab 7 drawers:

- 6x Drawers H 71 mm
- 1x Drawer H 239 mm
- (internal dim. W 588 x D 367 mm)
- 4 swivel wheels, 2 with brake

PORTATA / CAPACITY
45 kg per ogni cassetto / 45 kg for each drawer

Tappeto anti olio/benzina

Oil/fuel proof cover

Alzatina anticaduta H 40 mm

Fall-protection panel H 40 mm

Armadio doppia anta
L 800 x P 700 x H 930

*Two-door cabinet
W 800 x D 700 x H 930*




Servizi arrotolatore aria 8 mt M. 3/8" BSP, arrotolatore
corrente 10 mt 1600 W e portacarta
L 433 x P 700 x H 930

*Services air reel 8 mt M. 3/8" BSP, electrical reel 10 mt
1600 W and paper holder
W 433 x D 700 x H 930*

Cassettiera mobile 7 cassetti con
n° 2 portaflaconi. Piano in ABS
L 800 x P 475 x H 930
(dim. interne L 588 x P 367 mm)


*Rollercab 7 drawers with n° 2 holders.
ABS worktop
W 800 x D 475 x H 930
(internal dim. W 588 x D 367 mm)*



* Utensili non inclusi / *Tools not included*

Struttura autoportante
Self-supporting structure


Pannelli forati portautensili
L 1024 x P 25 x H 450
Perforated tool panels
W 1024 x D 25 x H 450



CONFIGURAZIONE 2050 CON PENSILI A DUE ANTE
CONFIGURATION 2050 WITH TWO-DOOR WALL CABINETS
COD. 3DP99W12IFU

CONFIGURAZIONE 2050 CON PANNELLI FORATI
CONFIGURATION 2050 WITH PERFORATED PANELS
COD. 3DP99W11IFU

*Inclusi 40 ganci lunghezza 40 mm
*Including 40 hooks length 40 mm



Pensili a due ante
L 1024 x P 350 x H 450
Two-door wall cabinets
W 1024 x D 350 x H 450

Pannelli ciechi
L 1024 x P 25 x H 450
Solid panels
W 1024 x D 25 x H 450



Serranda con avvolgibile in alluminio
L 2050 x P 200 x H 900
Aluminium roller shutter unit
W 2050 x D 200 x H 900

Pannelli forati portautensili interni
Perforated internal tool panels

Struttura autoportante
Self-supporting structure





Beta



CONFIGURAZIONE 2050 CON SERRANDA
CONFIGURATION 2050 WITH ROLLER SHUTTER
COD. 3DP99W13IFU

*Inclusi 40 ganci da 60 mm e 10 ganci da 80 mm
* Including 40 hooks of 60 mm and 10 hooks of 80 mm




CONFIGURAZIONE BASE 2400 BASIC CONFIGURATION 2400

COD. 3DP99W03IFR

COLORAZIONI | COLORS

- Nero sablè - Anti impronta
Black sablè - Fingerprint-proof
- Alluminio semilucido
Semi gloss aluminium

DIMENSIONI COMPLESSIVE OVERALL SIZE




DATI TECNICI TECHNICAL DATA



Modulo spazzatura + Servizi arrotolatore aria 8 mt M. 3/8" BSP, arrotolatore corrente 10 mt 1600 W e portacarta
L 800 x P 700 x H 930
• dim. interne L 260 x P 300 x H 550 mm

Garbage module + Services air reel 8 mt M. 3/8" BSP, electrical reel 10 mt 1600 W and paper holder
W 800 x D 700 x H 930
• Internal dim. W 260 x D 300 x H 550 mm

PORTATA / CAPACITY
45 kg per ogni cassetto / 45 kg for each drawer



Modulo spazzatura + Servizi arrotolatore aria 8 mt M. 3/8" BSP, arrotolatore corrente 10 mt 1600 W e portacarta
L 800 x P 700 x H 930

Garbage module + Services air reel 8 mt M. 3/8" BSP, electrical reel 10 mt 1600 W and paper holder
W 800 x D 700 x H 930

Modulo 6 cassetti
L 800 x P 700 x H 930
(dim. interne L 588 x P 567)


6 drawers module
W 800 x D 700 x H 930
(internal dim. W 588 x D 567)

* Utensili non inclusi / Tools not included

Struttura autoportante
Self-supporting structure

Pannelli forati portautensili
L 1024 x P 25 x H 450


Perforated tool panels
W 1024 x D 25 x H 450



CONFIGURAZIONE 2400 CON PENSILI A DUE ANTE
CONFIGURATION 2400 WITH TWO-DOOR WALL CABINETS
COD. 3DP99W15IFV

CONFIGURAZIONE 2400 CON PANNELLI FORATI
CONFIGURATION 2400 WITH PERFORATED PANELS
COD. 3DP99W14IFV

*Inclusi 60 ganci lunghezza 40 mm
*Including 60 hooks length 40 mm



Pensili a due ante
L 800 x P 350 x H 450
Two-door wall cabinets
W 800 x D 350 x H 450

Pannelli ciechi
L 800 x P 25 x H 450
Solid panels
W 800 x D 25 x H 450




CONFIGURAZIONE BASE 2850 BASIC CONFIGURATION 2850

COD. 3DP99W04IFS


COLORAZIONI | COLORS

- Nero sablè - Anti impronta
Black sablè - Fingerprint-proof
- Alluminio semilucido
Semi gloss aluminium

DIMENSIONI COMPLESSIVE OVERALL SIZE



DATI TECNICI TECHNICAL DATA



Armadio doppia anta

- dim. interne L 790 x P 670 x H 685 mm
- Piano interno regolabile a 7 altezze con passo di 100 mm

Two-door cabinet

- internal dim. W 790 x D 670 x H 685 mm
- Internal shelf adjustable to 7 heights with 100 mm steps

PORTATA / CAPACITY
45 kg per ogni cassetto / 45 kg for each drawer

Tappeto anti olio/benzina
Oil/fuel proof cover

Servizi arrotolatore aria 8 mt M. 3/8" BSP,
arrotolatore corrente 10 mt 1600 W e portacarta
L 433 x P 700 x H 930

*Services air reel 8 mt M. 3/8" BSP, electrical reel
10 mt 1600 W and paper holder
W 433 x D 700 x H 930*

Modulo 4 cassette
L 800 x P 700 x H 930
(dim. interne L 588 x P 567)

*4 drawers module
W 800 x D 700 x H 930
(internal dim. W 588 x D 567)*

* Utensili non inclusi / *Tools not included*

Alzatina anticaduta H 40 mm
Fall-protection panel H 40 mm





Armadio doppia anta
L 800 x P 700 x H 930
*Two-door cabinet
W 800 x D 700 x H 930*

Cassettiera mobile 7 cassette con
n° 2 portaflaconi. Piano in ABS
L 800 x P 475 x H 930
(dim. interne L 588 x P 367 mm)



*Rollercab 7 drawers with n° 2 holders.
ABS worktop
W 800 x D 475 x H 930
(internal dim. W 588 x D 367 mm)*

* Utensili non inclusi / *Tools not included*






CONFIGURAZIONE 2850 CON PANNELLI FORATI
CONFIGURATION 2850 WITH PERFORATED PANELS
COD. 3DP99W16IFW



*Inclusi 60 ganci lunghezza 40 mm
*Including 60 hooks length 40 mm



CONFIGURAZIONE 2850 CON PENSILI A DUE ANTE
CONFIGURATION 2850 WITH TWO-DOOR WALL CABINETS
COD. 3DP99W17IFW

Pannelli ciechi
L 1024 x P 25 x H 450
Solid panels
W 1024 x D 25 x H 450

Pensili a due ante
L 1024 x P 350 x H 450
Two-door wall cabinets
W 1024 x D 350 x H 450

Pensile a due ante
L 800 x P 350 x H 450
Two-door wall cabinet
W 800 x D 350 x H 450

Pannello cieco
L 800 x P 25 x H 450
Solid panel
W 800 x D 25 x H 450



Michele Zottis
+39 335 397 357
michele.zottis@3dbeta.it
IT-EN

Pierangelo Ferrari
+39 347 149 5808
pierangelo.ferrari@3dbeta.it
IT-EN

Walter Ponteri
+39 340 457 3391
walter.ponteri@3dbeta.it
IT-FR



3D Beta S.r.l.
20853 Biassono (MB) - ITALY
Via delle Industrie, 38
+39 039 492370
www.3dbeta.it